



Product special

Drum handling & accessories



tvh.com



TVH PARTS NV • PARTS & ACCESSORIES DIVISION

Brabantstraat 15 • BE-8790 Waregem

T +32 56 43 42 11 • F +32 56 43 44 88 • parts@tvh.com • www.tvh.com

DRUM DOLLIES	p 3
DRUM TROLLEYS AND DRUM SUPPORT	p 4
DRIP TRAYS	p 5
MECHANICAL DRUM CLAMPS	p 6
DRUM CLAMPS	p 7-8
BOTTLE CLAMP	p 9
DRUM TRAVERSES	p 9
DRUM ROTATORS	p 10
STACKER	p 11
ACCESSORIES	p 12-15

FOR TRANSPORTING 200 L DRUMS

REF 138TA6572

- Steel
- Height: 150 mm
- Load capacity: 250 kg
- Loading surface diameter: 610 mm
- Weight: 7 kg
- Diameter wheels: 75 mm
- With 2 brake castors



REF 107TA8308

- Steel
- Height: 155 mm
- Load capacity: 400 kg
- Loading surface diameter: 610 mm
- Weight: 7 kg
- Diameter wheels: 70 mm



REF 138TA6573

- Steel
- Height: 575 mm
- Width: 720 mm
- Length: 810 mm
- Load capacity: 250 kg
- Weight: 13 kg
- Wheels: 125 mm
- With 2 brake castors
- Drip tray: not included


REF 138TA6575

- Drip tray
- Capacity: 10 l



REF 138TA6574

- Steel
- Height: 650 mm
- Width: 720 mm
- Length: 1450 mm
- Load capacity: 250 kg
- Weight: 79 kg
- Wheels: 125 mm
- With drip tray (capacity: 203 l)



DRUM TROLLEYS AND DRUM SUPPORT

FOR TRANSPORTING 200 L DRUMS

REF 138TA6577

- Steel
- Tyres: pneumatic
- Width: 700 mm
- Length: 1600 mm
- Load capacity: 250 kg
- Wheels: 260 x 85 mm
- Weight: 14 kg

REF 138TA6576

- Steel
- Tyres: solid
- Width: 700 mm
- Length: 1600 mm
- Load capacity: 250 kg
- Wheels: 250 x 60 mm
- Weight: 16 kg



REF 138TA6578

- Steel
- Tyres: pneumatic
- Width: 700 mm
- Length: 1600 mm
- Load capacity: 250 kg
- Wheels: 250 x 60 mm
- Weight: 17 kg

REF 138TA6579

- Steel
- Tyres: solid
- Width: 700 mm
- Length: 1600 mm
- Load capacity: 250 kg
- Wheels: 250 x 85 mm
- Weight: 17 kg



REF 138TA6580

- Steel
- Tyres: pneumatic
- Width: 700 mm
- Length: 1600 mm
- Load capacity: 250 kg
- Wheels: 260 x 85 mm
- Weight: 17 kg
- With 2 supporting wheels

REF 136TA1012

- Steel
- Tyres: solid
- Width: 700 mm
- Length: 1600 mm
- Load capacity: 250 kg
- Wheels: 250 x 60 mm
- Weight: 19 kg
- With 2 supporting wheels



DRUM SUPPORT

REF 107TA7260


- Capacity: 2 barrels of 220 l
- Stackable
- Dimensions (L x W x H): 1280 x 750 x 250 mm
- Carrying capacity: max 500 kg
- 2 openings for forks
- Weight: 22 kg



REF 138TA8238

Drip tray for 2 x 200 l drums

- Steel
- With galvanized grating
- Mesh size: 30 x 30 mm
- Height: 360 mm
- Width: 800 mm
- Length: 1200 mm
- Load capacity: 500 kg
- Weight: 69,5 kg



REF 139TA1925

Trolley with push bar and drip tray

- Steel
- Capacity: 42,5 l
- Push bar in tubular steel
- Tyres: solid
- Height: 941 mm
- Width: 600 mm
- Length: 1098 mm
- Load capacity: 250 kg
- Weight: 42 kg
- 2 brake castors



REF 138TA8239

Drip tray for 4 x 200 l drums

- Steel
- With galvanized grating
- Mesh size: 30 x 30 mm
- Height: 285 mm
- Width: 1200 mm
- Length: 1200 mm
- Load capacity: 1000 kg
- Weight: 85 kg



REF 138TA8240

Drip tray for 4 x 200 l drums

- Steel
- With galvanized grating
- Mesh size: 30 x 30 mm
- Height: 250 mm
- Width: 790 mm
- Length: 2390 mm
- Load capacity: 1000 kg
- Weight: 110,5 kg



MECHANICAL DRUM CLAMPS

SUITABLE FOR 1 DRUM

REF 107TA6375

- Max fork section: 125 x 45 mm
- Min distance between forks: 318 mm
- Capacity: 214 kg
- Weight: 42 kg
- To transport steel drums of 200 l, plastic L-ring and XL-ring drums

REF 107TA6377

- Max fork section: 140 x 50 mm
- Min distance between forks: 280 mm
- Capacity: 500 kg
- Weight: 58 kg
- To transport steel drums of 200 l



REF 135TA5660

- Max fork section: 140 x 50 mm
- Min distance between forks: 280 mm
- Capacity: 500 kg
- Weight: 62 kg
- To transport steel drums of 200 l, plastic L-ring and XL-ring drums



SUITABLE FOR 2 DRUMS

REF 107TA6378

- Max fork section: 140 x 50 mm
- Min distance between forks: 600 mm
- Capacity: 1000 kg
- Weight: 75 kg
- To transport steel drums of 200 l

REF 107TA6376

- Max fork section: 160 x 65 mm
- Min distance between forks: 560 mm
- Capacity: 1000 kg
- Weight: 79 kg
- To transport steel drums of 200 l, plastic L-ring and XL-ring drums



EASY AND QUICK DRUM LIFTING TO TRANSPORT STEEL DRUMS, PLASTIC L-RING AND XL-RING DRUMS FROM THE TOP

REF 135TA7811

- Automatic drum locking and releasing
- Weight: 75 kg
- Max fork section: 140 x 50 mm
- Min distance between forks: 280 mm
- Capacity: 750 kg
- **Number of drums: 1**



REF 135TA7812

- Automatic drum locking and releasing
- Weight: 98 kg
- Max fork section: 140 x 50 mm
- Min distance between forks: 280 mm
- Capacity: 1500 kg
- **Number of drums: 2**



REF 107TA6370

- Capacity: 400 kg
- Length: 1175 mm
- Width: 1060 mm
- Height: 880 mm
- Weight: 88 kg
- Max fork section: 160 x 65 mm
- Min distance between forks: 490 mm
- **Number of drums: 1**

REF 107TA6371

- Capacity: 800 kg
- Length: 1175 mm
- Width: 1060 mm
- Height: 880 mm
- Weight: 116 kg
- Max fork section: 160 x 65 mm
- Min distance between forks: 490 mm
- **Number of drums: 2**

REF 107TA6368

- Capacity: 1200 kg
- Length: 1175 mm
- Width: 1160 mm
- Height: 880 mm
- Weight: 157 kg
- Max fork section: 160 x 65 mm
- Min distance between forks: 490 mm
- **Number of drums: 3**

REF 107TA6369

- Capacity: 1600 kg
- Length: 1175 mm
- Width: 2660 mm
- Height: 880 mm
- Weight: 197 kg
- Max fork section: 160 x 65 mm
- Min distance between forks: 490 mm
- **Number of drums: 4**



EASY AND QUICK DRUM LIFTING TO TRANSPORT STEEL DRUMS, PLASTIC L-RING AND XL-RING DRUMS FROM THE TOP

REF 135TA5674

- To lift steel drums of 200 l
- Weight: 10 kg
- Capacity: 350 kg
- Number of drums: 1
- Diameter lifting eye: 73 mm
- Supplied without lifting chain



REF 107TA1738

- For all type/models of LPG-bottles
- Capacity: 30 kg
- Inner dimensions of lifting eye (W x H): 40 x 40 mm

**Drum traverses – labour-saving drum transport****REF 135TA5675**

- For 200 l steel drums
- Weight: 5 kg
- Capacity: 300 kg
- Number of drums: 1

REF 135TA5676

- For 200 l steel drums and 210 l plastic L-ring drums
- Weight: 5 kg
- Capacity: 300 kg
- Number of drums: 1



LABOUR-SAVING DRUM SUPPORT

REF 135TA9661

- Fork-mounted
- Weight: 90 kg
- Rotating angle: 360°
- Type of control: hand wheel
- Max fork section: 140 x 50 mm
- Min distance between forks: 660 mm
- Capacity: 360 kg
- Number of drums: 1



REF 135TA9812

- Fork-mounted + crane-mounted
- Weight: 92 kg
- Rotating angle: 360°
- Type of control: hand wheel
- Max fork section: 140 x 50 mm
- Min distance between forks: 660 mm
- Capacity: 360 kg
- Number of drums: 1



REF 135TA9811

- Fork-mounted
- Weight: 96 kg
- Rotating angle: 360°
- Type of control: looped chain
- Max fork section: 140 x 50 mm
- Min distance between forks: 660 mm
- Capacity: 360 kg
- Number of drums: 1



REF 135TA9664

- Fork-mounted + crane-mounted
- Weight: 94 kg
- Rotating angle: 360°
- Type of control: looped chain
- Max fork section: 140 x 50 mm
- Min distance between forks: 425 mm
- Capacity: 360 kg
- Number of drums: 1



REF 111TA5974

- Steel
- With drum rotator (360°)
- Easy to lift, transport and tilt drums
- Height: 1990 mm
- Width: 800 mm
- Length: 1290 mm
- Load capacity: 300 kg
- Polyurethane steering wheels
- Single fork rollers in nylon
- Weight: 155 kg



ACCESSORIES

BARREL TOP MAT

REF 107TA7235

- Set of 25 sheets



SPILL KIT

REF 141TA6716

- 20 oil-absorbent pads (40 x 50 cm)
- 2 oil-absorbent socks (length 1,20 m - dia 7,5 cm)
- 1 pair of gloves
- 1 disposable bag and tie
- Supplied in a transparent bag with zipper
- Absorbs only oil and fuels, doesn't absorb water
- Absorbing capacity: 20 litres



POLY-RECEPTACLES

REF 107TA7242

- Capacity: 240 l
- For 2 barrels
- Barrels not included



REF 107TA7241

- Capacity: 70 l
- For 1 barrel
- Barrel not included



TAP FOR BARREL

REF 107TA7258

- Thread: 3/4"



BARREL KEY

REF 107TA7257

- For diameter 3/4" and 2"



OIL PUMP

REF 107TA7254

- Universal transfer pump for oil and diesel fuel oil
- Telescopic shank for drums of 20 to 220 l
- Delivery capacity: ± 30 l/min



BARREL PUMP

REF 138TA8362

- Pump volume: 16 l/min
- Telescopic tube: 480 to 900 mm
- Adjustable height
- For oils up to SAE90, anti-freeze, fuel oil, diesel
- Suitable for 60/200/220 l drums



ROTARY PUMP

REF 138TA8364

- Pump volume: 30 l/min
- Suction tube: 980 mm
- Height adjustable through barrel screw coupling
- For oils up to SAE140, non-aggressive fluids and lubricants
- Suitable for 60/200/220 l drums



FLUID PUMP

REF 111TA6208

- Discharge: 200 l/hour
- 220 V pump for emptying drums of antifreeze or water.
- Do not use for fuels, flammable or corrosive products



POLYETHYLENE FUNNEL WITH CAP

REF 107TA7277

- Capacity: 3,2 l
- For waste oil or chemical disposal
- With connection G2" for barrel of 60/200 l
- Diameter: 250 mm



BARREL FUNNEL

REF 107TA7237

- This barrel funnel is ideal for keeping your workshop clean
- Suitable for 200 l barrels
- An extra high-capacity funnel with high walls and a ribbed surface
- The funnel fits precisely over the edge of the drum and is applicable to all 200 l drums
- Supplied with hinged cover
- Outer diameter: 610 mm
- Height: 230 mm
- Weight: 4 kg
- Colour: yellow





- Beta quality tools & workwear REF 17857457
- Document & accessories holders REF 14372877
- Drum handling & accessories REF 21735662
- Forks & accessories REF 21641763
- Hardware special REF 18805081
- In the spotlight REF 21162819
- Jacks & supports REF 18178749
- Light special REF 20843889
- Maintenance special REF 20382686
- Mirror special REF 20778928
- Oils & greases REF 21715151
- Press special REF 17868205
- Pressol, lubrication & garage equipment REF 17783573
- Safety & ergonomics REF 18666614
- Seats & accessories REF 14836726
- Skips, scoops & crane jibs REF 20963014
- Summer special REF 20143873
- Twistlocks REF 19550195
- Tyres & accessories REF 15372984
- Weighing special REF 18329658
- Windshields & glazing special REF 21497051
- Winter special REF 21481937

More safety products & accessories in our 'Consumables & accessories catalogue':
REF 20560977



We gladly keep you informed of our extensive product range. In addition to our catalogues we therefore also present you with our 'product specials': useful digital brochures that will guide you within specific product categories. You will regularly discover new e-folders with numerous innovations.

Go to **downloads** on **www.tvh.com** to find all product specials.



FOLLOW US



PARTS & ACCESSORIES



COMPANY MOVIE